

Quick Installation Guide

Connect to a Computer

Before you begin using your adapter, connect the adapter to your computer.

Option 1: Directly Insert the adapter into a USB port on your computer directly.


Option 2: Via the USB Extension Cable Connect the adapter and your computer with the provided USB extension cable.

Install Driver and Utility(Windows)


1. Insert the **CD** into your **CD** or **DVD** drive.




2. Go to **Start > My Computer** and select your **CD** or **DVD** drive. Then Double-click **IS_Setup_XXX.exe**.




3. The InstallShield Wizard window displays. Select **I accept the terms the license agreement** and click **Next** to Continue.




4. Choose a setup type. It is recommended to select **Install driver and Mediated WLAN Utility**. Click **Next**.



5. Click **Install** to start installation.



6. After a few minutes, the installation completes. Click "**Finish**".



Join a Wireless Network

When it appear like this  You can join a Wi-Fi network with your adapter.

There are three options of using the adapter to join a Wi-Fi network.

Option 1: Mediatek WLAN Utility

Mediatek WLAN Utility lets you easily connect the adapter to a Wi-Fi network and manage the adapter.

Option 2: WPS (Wi-Fi Protected Setup)


WPS (Wi-Fi Protected Setup) is a network security standard for easily adding computers and other devices to a home network. Use this method if your wireless router or access point supports WPS.

Option 3: Windows Wireless Utility


You can use the Windows WLAN Autoconfig service (for Windows 10/8.1/8/7) and the Wireless Zero Configuration service (for Windows XP) to join a Wi-Fi network.

Mediatek WLAN Utility


1. Double click icon , and then appear as follow.




2. Click  and , then you can see as follow.




3. Select  SSID you want to connect, Click  and will appear as follow, click to next.



4. Enter the password click  to next.




5. Connect successful , if you want to view Throughput,click .




- **WPS (Wi-Fi Protected Setup)**


1. Press the WPS/QSS button on your router or AP.
2. Open Mediatek WLAN Utility and click WPS tab  , Then click  button.



3. Select Push-button and click  Button.



4. Click Start PBC Button to connect.




- **Windows Wireless Utility**

1. Click  ,  or  (Network icon) on the system tray. Select the network you want to join, and click Connect. Enter your Wi-Fi password when prompted.
2. When Connected displays next to the network name (SSID) on the screen, it indicates a successful network connection.

SoftAP

SoftAP is short for Software enabled Access Point. When the adapter works in SoftAP mode, it allows the computer to create a wireless hotspot that other wireless devices nearby can use. To switch to SoftAP mode, right-click the utility icon  in the system tray and select **Switch to SoftAP mode**.



After switching to SoftAP mode, the SoftAP icon appears in the utility. Click the SoftAP tab, and complete the settings, then click Apply for the settings to take effect.